


The Royal College of Emergency Medicine

Best Practice Guideline

Emergency Department Care



July 2017

Summary of recommendations

1. Emergency Departments should strive to consistently provide all 50 care standards listed.
2. These standards should be regularly audited.

Scope

This guideline has been developed to help medical and nursing staff within Emergency Departments (ED) to provide better care for their patients.

As a 50-point checklist, it covers the following themes:

- The patient environment
- The ED team
- Education about care
- Patient pathway through the ED
- Continuing care
- Care of the elderly patient
- Care of children
- Care of patients with complex problems
- Measuring care and leadership

Reason for development

The culture of focusing on national targets and financial balance whilst neglecting acceptable standards of care was exposed in the *Report of the Mid Staffordshire NHS Foundation Trust Public Inquiry*¹ (2013), chaired by Robert Francis QC. The Royal College of Emergency Medicine (RCEM) recognises such occurrences are not isolated to one organisation or to one department².

The first recommendation of the Francis report is that *“all staff should contribute to a safe, committed, compassionate and caring service”*.

The National Advisory Group on the Safety of Patients in England 2013³ issued as its first guiding principle: *“place the quality (and safety) of patient care above all other aims for the NHS”*.

Introduction

EDs should aim to provide a safe, committed, compassionate and caring service. This guideline provides a checklist of care initiatives directed at improving patient experience. Standards within are graded as either ‘Fundamental’ or ‘Developmental’. Fundamental standards are those which every ED should routinely achieve. Developmental standards are those which departments should be working towards. EDs are encouraged to regularly analyse their practice using this document. Achieving these standards requires commitment and support. Where a standard cannot be met, this should be escalated to people who can take appropriate action.

Understanding the different types of standards

 **Fundamental:** need to be applied by all those who work and serve in the healthcare system. Behaviour at all levels and service provision need to be in accordance with at least these fundamental standards. No provider should provide any service that does not comply with these fundamental standards, in relation to which there should be zero tolerance of breaches.

 **Developmental:** set requirements over and above the fundamental standards.

The patient environment		
Item	Standard	Points to consider
1	Are all areas of the ED clean and well lit?	 Including the waiting room, reception front entrance and its surroundings?
2	Do all toilet facilities in the ED clearly display a completed daily cleaning log?	 A minimum of twice daily cleaning is advised.
3	Is the physical condition of the ED in good order?	 Broken or stained ceiling tiles, for example, may give a poor impression to patients lying on trolleys: <i>"if they care for the building like this, how will they care for me?"</i>
4	Do clinical areas enable patients to retain dignity and privacy, including facility to register with privacy?	 Can sensitive questions be overheard by other patients and staff? This includes clinical discussion and handover.
5	Are waiting areas furnished with: <ul style="list-style-type: none"> • Reading material • A television • WiFi access • Information regarding process • An updated waiting time 	 A number of EDs have a charity book stall.  A news channel on silent with line feed perhaps?  Is this made clear to all appropriate age groups including teenagers?  What can the patient expect: triage, nurse practitioner or doctor assessment, care, the four hour target etc. See RCEM Best Practice Guideline Giving Information to Patients in the Emergency Department . 
6	Are relatives and carer catered for? <ul style="list-style-type: none"> • Is there sufficient cubicle seating for patients' relatives and carers? • Can patient and relatives communicate? • Are bereaved relatives cared for sensitively? 	 Are patients told that they can use their phones? Is there a bank of phone chargers available for patient use? Are bereaved relatives routinely offered a follow up appointment with a senior ED physician?
7	Is there a message for recumbent patients on the ceiling tiles in the Resus room?	 E.g.: "You are in the Emergency Department at Standard Hospital".

Item	Standard		Points to consider
8	Is there a dedicated psychiatric assessment room that conforms to PLAN ⁴ standards?	✓	
9	In the case of a dying or recently deceased patient, is the relevant clinical area: <ul style="list-style-type: none"> • Quiet? • Private? • Sensitively designed? • Readily identifiable as such to approaching staff? 	✓	Consider hanging laminated butterflies, indicating the need for staff to keep noise level and language appropriate. Some rooms for bereaved relatives are designed with an adjacent room for the deceased.
10	Is the signage and information for the patients sufficient, to enable easy navigation to, through and from the ED?	✓	The ED can be disorientating. Has it been made easy to locate and understand the 'pathway' through the ED department?
11	Is patient feedback sought and acted upon? Are patients' comments (positive and negative) shared with staff?	✓	Consider: <ul style="list-style-type: none"> • A monthly care newsletter • Friends and family surveys • Gathering and disseminating feedback from care rounds⁵ Many department have Lay Representatives/Patient Voice Representatives at departmental meetings. Is there a nominated ED (senior medical) patient champion?

The ED team

Item	Standard		Points to consider
12	Do all staff feel valued? Does the department meet the RCN staffing ratios/ requirements, including those for children's nurses?	✓	Are there frequent shared examples of positive feedback, either at handover or in writing (or both). Consider care awards in recognition of achievement. Are staff thanked for their efforts by the lead clinician or senior nurse on completion of post? Is there regular effective feedback to staff? Is there support for those involved in stressful situations? See RCEM Guidance & Resources webpage. Are systems in place to prevent, identify, support and rehabilitate staff burn out?
13	Is there a joint regular scheduled combined medical and nursing handover?	✓	Effective team working requires collaboration between medical and nursing teams. Joint handovers facilitate this.
14	Are senior doctors approachable and available?	✓	"Be approachable and available for the Juniors" See RCEM Non-technical Skills - Top 10 Tips . Are the processes for contacting and involving senior staff clear?
15	Are staff routinely able to take breaks?	✓	Tired staff are less likely to come across as caring and they are more likely to make clinical errors.

Patient pathway through the ED			
Item	Standard		Points to consider
24	Do nursing staff at patient entrances have easy and timely access to a senior doctor for treating sick patients, prescribing analgesia for severe pain?	✓	
25	Are patients, arriving by any means, warmly greeted by a named person? Do staff introduce themselves by name, and identify their role and position?	✓	For those EDs running Rapid Assessment and Triage, is the "meet and greet" incorporated within these procedures? Are patients offered a glass of water at triage or at Paramedic handover/RAT? (C.f. after discussion if concerns regarding stroke)
26	Are patients routinely given forecasts ⁵ ?	✓	<i>"You're likely to have broken your hip....and will need surgery tomorrow...they'll have you up and moving the very next day" or "we'll have a proper look at you, get you (another) ECG, some blood tests and an X-ray and then assess what you are like on your feet...you can expect this to take a couple of hours."</i>
27	Are patients clearly told how to access staff when they have needs or concerns? Is this access facilitated by the department, to make it as easy as possible?	✓	Are patients on trolleys routinely told how to use a call bell that is within reach? Are there posters explaining how to inform staff of concerns, or patient requirements? Consider how easy this is for patients. Has it been 'road tested' by staff (e.g. 'mystery shopper')?
28	Has the ED inspected the RCEM crowding guideline and toolkit in anticipation and in response to exit block?	✓	RCEM Francis Report Recommendations – A Checklist for EDs .
29	Does the ED make use of a safety barometer, escalate by following agreed action points and chase an unsatisfactory response?	✓	
30	Does discharge planning: <ul style="list-style-type: none"> • Include bespoke written and verbal advice • Include check of social and welfare concerns Ensure follow up and prescriptions provided and clear if needed.	✓	See Giving Information to Patients in the Emergency Department from RCEM. Is there a system of assuring and documenting these?
Continuing care			
Item	Standard		Points to consider
31	Is comfort rounding routine?	✓	Are pillows routinely offered to those patients who will be admitted?
32	Is there a daily trolley round offering food, drink, toiletries etc?	✓	Does the ED have volunteers?

Item	Standard		Points to consider
33	Is there clearly displayed, up to date information regarding taxis, bus timetables, bus stop locations, cash points etc?		
34	Is written information provided for patients and carers for those returning to care institutions?		Incorporating appropriate details such as diagnosis, management, new/altered medications, ED contact details, next of kin informed (yes/no) and recommended action in case of further episodes.
35	Is there easy access to translation services, including British Sign Language?		Do staff know how to access translation services? Is there an up to date staff foreign language speakers list? Are information leaflets available in other languages?
36	Does the ED follow the advice contained within the RCEM document The Mental Capacity Act in Emergency Medicine Practice?		See RCEM Guidance webpage.

Care of the elderly patient

Item	Standard		Points to consider
37	Is dementia friendly training mandatory and up to date among all ED staff, including receptionists, cleaners and security?		
38	Is dementia care of a high standard?		Has the department been examined and responded to a report by a dementia friendly group e.g. the Alzheimer's Society? Is there a care package for dementia? Are such patients given a dementia wristband? Are the departmental toilets dementia friendly? Are directions to them, and return to ED clearly signposted? Does the ED provide an appropriate number of dementia friendly cubicles? See Airedale NHS Foundation Trust's A dementia friendly ED .
39	Is a skin vulnerability assessment performed on arrival for all frail, elderly patients? Are those with vulnerable skin promptly placed on mattress toppers (that enable imaging) or a bed or airwave?		
40	Are the delirious offered distraction therapy?		E.g. A twiddlemuff or dementia dolls.

Item	Standard		Points to consider
41	<p>Does the ED follow the advice contained in the following documents?</p> <ul style="list-style-type: none"> • End of Life Care for Adults in the Emergency Department • Quality Care for Older People with Urgent & Emergency Care Needs • Half a Dozen Things to Know About Dignity in Dementia: improving care in general hospital settings (CEM summary of Royal College of Nursing National Project (2011)) 		See RCEM Guidance webpage.

Care of children

Item	Standard		Points to consider
42	<p>Is there demonstrable evidence of the safeguarding of children?</p> <ul style="list-style-type: none"> • Is there evidence that all staff are trained to the levels set out in the document opposite? • Are staff aware to whom to escalate? • Do staff know who the Trust safeguarding lead is? 		Intercollegiate Document Safeguarding Children and Young People: roles and competencies for health care staff .
43	<p>Are facilities available for the distraction of distressed children?</p>		E.g. Tablets, a starlight distraction box , DVDs etc.
44	<p>Is care instituted as soon as possible?</p> <ul style="list-style-type: none"> • Are all children offered appropriate and prompt analgesia? • Are the parents/ relatives/carers/all young children with vomiting and diarrhoea +/-dehydration encouraged to start oral rehydration therapy on arrival? 		RCEM Management of Pain in Children .

Care of patients with complex problems

Item	Standard		Points to consider
45	Does the department have access to learning disability health care staff and is there evidence that the service is used?	✓	
46	<p>What evidence is there demonstrating ED compliance with the following RCEM Quality in Emergency Care Best Practice Guidelines:</p> <ul style="list-style-type: none"> • The patient who absconds • Emergency Department Patients in Police Custody • Caring for adult patients suspected of having concealed illicit drugs • Guideline for information sharing to reduce community violence • Management of Adult Patients who enter Emergency Departments after Sexual Assault and/or Rape • The Mental Capacity Act in Emergency Medicine Practice • Guidelines for the Management of Excited Delirium / Acute Behavioural Disturbance (ABD) • Management of Domestic Abuse • Chaperones in Emergency Departments • Alcohol: a toolkit for improving care • Frequent attenders in the Emergency Department • Giving Information to Patients in the Emergency Department 	<ul style="list-style-type: none"> ✓ 	<p>All available via RCEM Guidance webpage.</p> <p>Does the ED have a domestic violence champion? Including teenagers.</p> <p>Patients identified as 'very high frequency attenders' (e.g. 30 or more attendances per year) should have a multidisciplinary meeting and case management; including social care and primary care, with a review of the bespoke management plan.</p>

Measuring care and leadership

Item	Standard		Points to consider
47	Has the ED made measurable improvements in response to their CQC reports, RCEM and local audit, and patient feedback?	✓	
48	Does the department have leads for: <ul style="list-style-type: none">• Care• Other significant groups e.g. adolescents, patients with dementia, frequent attenders etc	✓	
49	Are standards related to patient care improved through audit and quality improvement?	✓	Such as comfort care metrics.
50	Can you demonstrate that patients are happy with the care provided, and staff are proud of the care provided.	✓	Is the department engaging with the patients about care standards?

Authors

Gavin Lloyd

Adam Reuben

Caroline Dowse

Simon Smith

First published in July 2017

Acknowledgements

Adrian Boyle

Katherine Henderson

Glynn Barnett

Review

Usually within three years or sooner if important information becomes available.

Conflicts of Interest

None

Disclaimers

The College recognises that patients, their situations, Emergency Departments and staff all vary. This guideline cannot cover all possible scenarios. The ultimate responsibility for the interpretation and application of this guideline, the use of current information and a patient's overall care and wellbeing resides with the treating clinician.

Research Recommendations

None

Audit standards

None

Key words for search

Patient care, Emergency Department

Appendix 1

Methodology


Where possible, appropriate evidence has been sought and appraised using standard appraisal methods. High quality evidence is not always available to inform recommendations. Best Practice Guidelines rely heavily on the consensus of senior emergency physicians and invited experts.

Evidence Levels

1. Evidence from at least one systematic review of multiple well-designed randomised control trials.
2. Evidence from at least one published properly designed randomised control trials of appropriate size and setting.
3. Evidence from well-designed trials without randomisation, single group pre/post, cohort, time series or matched case control studies.
4. Evidence from well-designed non-experimental studies from more than one centre or research group.
5. Opinions, respected authority, clinical evidence, descriptive studies or consensus reports.

References

1. Francis R. Report of the Mid Staffordshire NHS Foundation Trust Public Inquiry 2013. <http://webarchive.nationalarchives.gov.uk/20150407084003/http://www.midstaffpublicinquiry.com/report> (accessed 28 July 2017)
2. Robinson S, Brown R. The Francis Report: a call to arms. *Emerg Med J* 2013;**30**:783
3. Berwick D. A promise to learn – a commitment to act. Improving the Safety of Patients in England 2013. <https://www.gov.uk/government/publications/berwick-review-into-patient-safety> (accessed 28 July 2017)
4. Psychiatric Liaison Accreditation Network (Royal College of Psychiatrists). PLAN Standards. Available at: <http://www.rcpsych.ac.uk/workinpsychiatry/qualityimprovement/ccqiprojects/liasonpsychiatry/plan.aspx> (accessed 28 July 2017)
5. Lloyd G. Care rounds: hot patient feedback enabling team care education. *Br J Hosp Med* 2016;**77**:262
6. Lloyd G, Reuben A. Improved emergency department patient care via rapid assessment and triage. *Br J Hosp Med* 2017;**78**:500



The Royal College of Emergency
Medicine

7-9 Breems Buildings

London

EC4A 1DT

Tel: +44 (0)20 7400 1999

Fax: +44 (0)20 7067 1267

www.rcem.ac.uk

Incorporated by Royal Charter, 2008

Registered Charity number 1122689

Excellence in Emergency Care